Office of the Special Narcotics Prosecutor for the City of New York Bridget Brennan

Prescription to Treat an Epidemic




Today's Opioid Epidemic



"Spike in fatal drug overdoses in 2016 hit all race, gender, and age groups across five borough "DATLY NEWS"

Overdose Main Cause of Preventable Death



Corporate Strategies Stoke Addiction


- 1990's Pharmaceutical companies marketed opioid medications as safe and non-addictive.
- Marketing strategies: funding of "Pain Relief" organizations; doctor's compensation depends on patients' satisfaction with pain relief; payments to "experts" to give seminars on using pain medication.




Earned \$3.1 Billion on Oxycontin in 2010; paid \$637 Million to settle federal

Criminal case in 2007

PAIN MEASUREMENT SCALE



NYC Oxycodone Prescriptions 2007-2016




Pain Pills and Heroin




- Heroin refined from poppies
- Pain Pills are synthetic, formulated to have same effect on body as heroin
- Both suppress pain, emotion, respiration and heart rate
- Whether medicine or recreation, extended use causes addiction
- Consistent use leads to tolerance; high dosage causes death

Ctudica cau maim milla mataurau

SNP Heroin Seizures in Pounds 2006 –2016



Where does all that heroin come from?






Meet Fentanyl



"Enough Fentanyl to Kill 32M People Seized in Single NYC Bust"



A New Era: Public Health Leads Response to Crisis




First Responders Administer Naloxone



Hospital Visits Continue to Increase

Figure 4: Frequency of Opioid-Related Outpatient Emergency Department Visits, by NYC Borough, 2010-2014




Source: SPARCS, June 2015. Prepared by NYSDOH, AIDS Institute.


BUT Fewer Enter Treatment Through Criminal Justice or Voluntary Admissions

- In 2006, on SNP cases, 14% of defendants chose treatment as a sentence option
- In 2015, 6% of defendants chose treatment
- In 2006, 46,097 city wide admissions to OASAS tracked treatment programs for opioids (including heroin) and cocaine
- In 2015, 31,168 admissions for city wide OASAS tracked treatment programs for opioids (including heroin) and cocaine— 32% decline
- Overdoses increased 12% over same period

OASAS treatment admissions vs. unintentional overdose deaths in NYC, July 2006-June 2016



OASAS treatment admissions by county vs. unintentional overdose deaths in NYC, July 2006 – June 2016



Controlling the epidemic:

A Three-pronged Approach

- Reduce supply from pill mills and black market: Improve law enforcement coordination and strategic targeting
- Treat people who are already addicted: Revise and broaden outreach strategies by trained social work professionals to reach diverse substance abusing demographics
- Prevent new cases of opioid addiction: Robust informational campaigns designed to reach potential users BEFORE addiction

NEED BALANCED APPROACH TO END CRISIS

- Employ most effective tools from Public Health and Law Enforcement
- Provide the public with clear factual information on dangerous drugs on black market, and in the medicine cabinet
- Design comprehensive prevention strategy modeled after anti smoking campaign
- Develop educational programs for children – starting in middle school – focus on healthy lifestyles and dangers of legal and illegal drugs

Canadian Prevention

ampaidn IT'S NEVER GOING TO BE YOU... INTIL IT 15 Fentanyl may be hiding in the drugs you're using. with other drops www.drugsfool.ca Alberta Health

